

[CLICK HERE TO JUMP TO USE DIRECTIONS](#)

GORDON'S® ALL-SEASON BRUSH NO-MORE®



**Controls Poison Ivy, Poison Oak,
Tough Brush & Broadleaf Weeds**

ACTIVE INGREDIENTS:

2,4-D, 2-ethylhexyl ester	9.74%
2,4-DP-p, 2-ethylhexyl ester	4.78%
Dicamba	1.65%
INERT INGREDIENTS:	<u>83.83%</u>
TOTAL 100.00%	

This product contains:

0.49 lb. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 6.46%.
0.24 lb. (+)-R-2-(2,4-dichlorophenoxy) propionic acid equivalent per gallon or 3.23%.
0.12 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 1.65%.

Contains aromatic petroleum distillates.
Isomer Specific by AOAC Method.

KEEP OUT OF REACH OF CHILDREN WARNING

See below for First Aid and additional Precautionary Statements.



**READ THE ENTIRE LABEL FIRST.
OBSERVE ALL PRECAUTIONS AND
FOLLOW DIRECTIONS CAREFULLY.**

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: Causes substantial but temporary eye injury. Causes skin irritation. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing.

For Industrial Sites Only

Clothing Requirement Statements: When mixing, loading, or applying this product, or repairing or cleaning equipment used with this product, wear eye protection (face shield or safety glasses), chemical resistant gloves, long-sleeved shirt, long pants, socks and shoes. It is recommended that safety glasses include front, brow and temple protection. For aerial applicators in an enclosed cockpit and applicators applying this product from a tractor that has a completely enclosed cab, eye protection is not required.

Personal Hygiene Statements: Wash hands, face and arms with soap and water as soon as possible after mixing, loading or applying this product. Wash hands, face and arms with soap and water before eating, smoking or drinking. Wash hands and arms before using toilet. After work, remove all clothing and shower using soap and water. Do not reuse clothing worn during the previous day's mixing and loading or

application of this product without cleaning first. Clothing must be kept and washed separately from other household laundry. Remove saturated clothing as soon as possible and shower.

Engineering Control Statements

Containers over 1 gallon and less than 5 gallons: Persons engaged in open pouring of this product must also wear coveralls or a chemical resistant apron.

Containers of 5 gallons or more: Do not open-pour product from this container. A mechanical system (such as probe and pump or spigot) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

FIRST AID

If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.</p> <p>Note to Physician: Contains petroleum distillates — vomiting may cause aspiration pneumonia.</p>	

ENVIRONMENTAL HAZARDS: This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources. Do not apply when weather conditions favor drift from target area. Do not contaminate domestic or irrigation waters.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and 2,4-DP-p have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D and 2,4-DP-p pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

If spills occur, collect the material and dispose of by following disposal instructions on this label.

Physical or Chemical Hazards: Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

GENERAL INFORMATION

This herbicide is intended for spot treatments for the control of broadleaf weeds, vines, and woody plants in noncropland areas. Spot treatments include foliar applications and cut surface-stump applications. This product controls or suppresses the following brush along fencelines, along walkways, on vacant lots, on parking areas, and on farm premises.

ALL-SEASON BRUSH-NO-MORE® will provide full or partial control (suppression) of these woody species:

BRUSH CONTROLLED

American chesnut	Cherry	Pine
Ash	Cottonwood	Poplar
Aspen	Dogwood	Sassafras
Barberry	Elm	Shortleaf pine
Birch	Gooseberry	Spruce
Blackberry	Honey locust	Sumac
Black cherry	Honeysuckle	Sycamore
Black locust	Kudzu	Trumpet creeper
Brambles	Maple	Wild plum
Buckbrush	Multiflora rose	Willow
Cedar	Oak	

WEEDS CONTROLLED

Aster, white heath & white prairie	Florida pusley	Puncturevine
Bedstraw	Ground ivy	Purslane
Beggarweed, creeping	Groundsel	Ragweed
Bindweed	Hawkweed	Red sorrel
Black medic	Healall	(*sheep sorrel)
Broadleaf plantain	Henbit	Shepherdspurse
Buckhorn	Jimsonweed	Smartweed
Buckhorn plantain	Knotweed	Speedwell
Bull thistle	Kochia	Spotted spurge
Burclover	Lambsquarters	Spurge
Burdock, common	Lawn burweed	Sunflower
Carpetweed	Lespedeza, common	Thistle
Chickweed, common	Mallow, common	Trumpet creeper
Chicory	Matchweed	Velvetleaf
Cinquefoil	Mouseear chickweed	(*pie marker, Indian mallow)
Clover	Morningglory	Veronica
Cocklebur	Mustard	(*corn speedwell)
Compassplant	Nettle	Virginia buttonweed
Curly dock	Oxalis (*yellow woodsorrel & creeping woodsorrel)	White clover (*Dutch clover, honeysuckle clover, white trefoil & purplewort)
Dandelion	Parsley-piert	Wild carrot
Dayflower	Pennsylvania smartweed	Wild garlic
Deadnettle	(*smartweed)	Wild geranium
Dock	Pennywort	Wild lettuce
Dogfennel	(*dollarweed)	Wild mustard
English Daisy	Peppergrass	Wild onion
False Dandelion (*spoiled catsear & common catsear)	Pepperweed	Wild strawberry
Field bindweed (*morningglory & creeping jenny)	Pigweed	Wild violet
Field oxeye-daisy (*creeping oxeye)	Pineappleweed	Yarrow
Filaree, whitestem & redstem	Plantain	Yellow rocket
	Poison ivy	
	Poison oak	
	Prostrate knotweed (*knotweed)	

*Synonyms

FOLIAR TREATMENTS

Foliar applications for mixed brush are effective from full leaf expansion in the spring until leaf drop in the fall. Schedule applications during warm weather when the brush and broadleaf weeds are actively growing. Reduced performance may result with fall treatments following a frost.

Applications should be made on a spray-to-wet basis. All leaves, stems, shoots (suckers) should be thoroughly wetted to the ground. Backpack, knapsack, and hand pump sprayers are suitable for this method.

Mix 3.0-5.0 fl. oz. of product in 1.0 gallon of water or prepare a 2.0-4.0% (vol./vol.) spray solution. Or, the equivalent measure is 6-10 tablespoons of product per 1.0 gallon of water. Use the higher dosage rates for larger plants, dense growth, or adverse conditions. Seasonal: The maximum seasonal application rate to non-crop sites is 4 pounds 2,4-D acid equiv-

alent per application site. Refer to Table 1 for additional instructions for spray preparations with water.

Table 1. Mixing instructions for preparing 1 to 3 gallons of spray solution with water for foliar applications.

Spray Solution, Gallons	Amounts of product required for:		
	2.0%	3.0%	4.0%
1.0	3 fl. oz.	4 fl. oz.	5 fl. oz.
2.0	5 fl. oz.	8 fl. oz.	10 fl. oz.
3.0	8 fl. oz.	12 fl. oz.	16 fl. oz.

Equal measures: 1.0 fl. oz. = 2 tablespoons of product.
Food utensils such as measuring spoons or cups must not be used for food purposes after use with pesticides.

Allow 5-7 days after application before cutting or removal. Additional applications may be needed to control regrowth on resistant species.

CUT SURFACE – STUMP TREATMENTS

The cut surface treatment is appropriate for tree stumps with diameters larger than 3-4 inches. Cut surface treatments are effective throughout the year except when snow, ice, or water prevents complete spray coverage.

The whole stump should be sprayed with this product soon after the trees are cut. Spray thoroughly the cut surfaces, bark, and the exposed roots. Treat the entire circumference of the tree stump. Drench until runoff to the soil is noticed. Backpack, knapsack, and hand pump sprayers are suitable equipment.

Mix 20.0 fl. oz. of product with 1.0 gallon of water. Or, the equivalent measures are 1¼ pints (2½ cups) of product per 1.0 gallon of water. Mineral oil, kerosene, or diesel oil (No. 1 or No. 2 fuel oil) may be substituted for water. Refer to Table 2 for additional instructions for spray preparations.

Table 2. Mixing instructions for preparing 1.0 to 1.6 gallons of spray solution for cut surface applications.

Spray Solution, Gallons	Amounts of product required:		
	fl. oz.	pints	cups
1.0	20	1¼	2½
1.6	32	2	4

Equal measures: 1.0 quart = 32 fl. oz. = 2 pints = 4 cups

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

BRUSH-NO-MORE® and GORDON'S® are registered trademarks of PBI/GORDON CORPORATION.

Manufactured By

An Employee-Owned Company
 1217 West 12th Street
 Kansas City, Missouri 64101
www.pbigordon.com

783 AP121405
 EPA REG. NO. 2217-775-33955